

Aluminum Jack

Model: KSQ1.5



Features :

- **Light weight.**
- **Easy to carry and maneuver.**
- **Safety bypass system prevents from damage.**
- **Automatic overload protection system.**
- **Swivel rear casters provide easy maneuverability of jack.**
- **Universal joint release mechanism.**
- **Ideal lift tool for repairing and maintaining vehicle.**
- **Dual pistons make the jack lift quickly.**

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
KSQ1.5	1.5T	89-370mm	575x275x170mm	12.7/11.5kg	1000pcs
KSQX2	2T	85-475mm	638X297X155mm	22/19.1kg	475pcs
KSCT3	3T	95-487mm	661x345x165mm	26.5/25.3kg	385pcs

Garage Jack


Model: KYQ-3



Features :

- **Low lift height.**
- **Safety bypass system prevents from damage.**
- **Rubber saddle pad and handle bumper protect the vehicle from damage.**
- **Two-pieces handle for convenient transportation and storage.**
- **Automatic overload protection system.**
- **Swivel rear casters provide easy maneuverability of jack.**
- **Solid and compact structure for durable life.**
- **Dual pistons make the jack lift quickly.**

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
KYQ3	3T	127-464mm	740x390x180mm	34/32kg	500pcs
KYDL2.5	2.5T	75-510mm	810X400X165mm	34/32kg	500pcs
KYD2	2T	70-500mm	800x400x190mm	43/41kg	385pcs



Aluminum Jack


Model: LSS-1.5



Features :


- **Light weight.**
- **Easy to carry and maneuver.**
- **Safety bypass system prevents from damage.**
- **Automatic overload protection system.**
- **Swivel rear casters provide easy maneuverability of jack.**
- **Universal joint release mechanism.**
- **Ideal lift tool for repairing and maintaining vehicle.**
- **Dual pistons make the jack lift quickly.**

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
LSS1.5	1.5T	80-375mm	575x275x170mm	11.6/10.7kg	1050pcs
KSQ2	2T	85-460mm	760X365X200mm	22/20.5kg	490pcs
KSQ2-00 G	2T	85-460mm	760x365x200mm	21/18.8kg	490pcs



Garage Jack

Model: LYC-5



Features :

- Safety bypass system prevents from damage.
- Automatic overload protection system.
- Swivel rear casters provide easy maneuverability of jack.
- Heavy steel frame
- LYC5Q and LYC10Q: Air hydraulic pumps reduce lifting time
- Long “T” handle for easy positioning

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
-------	----------	-----------------------	-------------------	---------------	--------------

LYC5	5T	155-585mm	1530x430x330mm	120/100kg	96pcs
LYC5Q	5T	155-585mm	1530x430x330mm	121/101kg	96pcs
LYC10	10T	170-570mm	1660x530x360mm	180/170kg	78pcs
LYC10	10T	170-570mm	1660x530x360mm	181/171kg	78pcs

Garage Jack


Model: LYD-2



Features :

- Low lift height.
- Safety bypass system prevents from damage.
- Rubber saddle pad and handle bumper protect the vehicle from damage.
- Two-pieces handle for convenient transportation and storage.
- Automatic overload protection system.
- Swivel rear casters provide easy maneuverability of jack.
- Solid and compact structure for durable life.
- Dual pistons make the jack lift quickly.

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
LYD2	2T	70-500mm	800x400x190mm	43/41kg	385pcs
LCD3	3T	90-515mm	850X410X180mm	56/54kg	310pcs
KCD2-00 A	2T	70-590mm	935x395x195mm	47/45kg	360pcs



Garage Jack


Model: LYS-3



Features :

- **Low lift height.**
- **Safety bypass system prevents from damage.**
- **Rubber saddle pad and handle bumper protect the vehicle from damage.**
- **Two-pieces handle for convenient transportation and storage.**
- **Automatic overload protection system.**
- **Swivel rear casters provide easy maneuverability of jack.**
- **Solid and compact structure for durable life.**
- **Dual pistons make the jack lift quickly.**

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
LYS3	3T	145-480mm	750x370x190mm	41/39kg	405pcs
KYX3-C	3T	125-530mm	810X400X200mm	45.5/44kg	350pcs
KSD3	3T	95-490mm	810x400x200mm	48/46kg	335pcs
KLD2	2T	70-500mm	800x400x190mm	44/42kg	385pcs



Air Hydraulic Jack

Model: QYQ22




Features :

- **Rated capacity lift using air-actuated operation.**
- **Safety overload system prevents from being used beyond its rated capacity.**
- **Extension screw gives added height when necessary.**
- **Top release valve allows jack operation at any handle position.**
- **Handle locking lever secure handle in a vertical,middle,horizontal position.**




Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
QYQ22	22T	210-450mm	630x365x260mm A:630x360x250mm B:1315x305x75mm	53/51kg 48/47kg 5/4kg	305pcs
QYQ22- C	22T	232-468mm	A:640x360x270mm B:1340x332x80mm	45/33kg	305pcs
QYQ35	35T	250-525mm	A:670x365x295mm B:1315x305x75mm	55.5/53kg	260pcs
QYQ20	50T	290-660mm	A:730x415x325mm B:1315x315x85mm	78/71kg	220pcs



Porta Power Jack

Model: TL000X Series



TL0004

Capacity: 4 Ton
Stroke: 125mm
Min.Height: 270mm
Packing Size:
600*340*180mm
N.W.: 17kg
G.W.: 18kg
20' Container: 660pcs



TL0008

Capacity: 8 Ton
Stroke: 130mm
Min.Height: 320mm
Packing Size:
630*400*170mm
N.W.: 25kg
G.W. 26kg
20' Container: 650 pcs



TL0010

Capacity: 10 Ton
Stroke: 135mm
Min.Height: 358mm
Packing Size:
750*342*170mm
N.W.: 31kg
G.W.: 32kg
20' Container: 470 cps



TL0020

Capacity: 20 Ton
Min.Height: 145mm
Packing Size:
760*320*170mm
N.W.: 41kg
G.W.: 43kg
20' Container: 500 pcs



TL0030

Stroke:160mm
Min. Height :398mm
Packing Size:760 x 330x 260mm
N.W.:47kg G.W.:49kg
20-ft Container:500PCS

Hydraulic Bottle Jack

Model: TL120X Series

HYDRAULIC BOTTLE JACKS



**TL120202
TL120202B
2TON**

◀|||



**TL120204
TL120204B
4TON**

◀|||



**TL120206
TL120206B
6TON**

◀|||



**◀|||
TL120208
8TON**



**TL120210
10TON**

|||▶



**◀|||
TL120212
12TON**



**◀|||
TL120212S
12TON**



**◀|||
TL12016S
16TON**

Model :	TL120202/120202B	TL120204/120204B	TL120206/120206B
Capacity :	2Ton	4Ton	6Ton
Min. Height :	148mm	180mm	185mm
Max. Height :	278mm	340mm	355mm
Lifting Height :	80mm	110mm	110mm
Adjustment Height :	50mm	50mm	60mm
N.W.:	2.3kg	3.4kg	4.5kg
20-ft Container:	7200/6350PCS	4920/4425PCS	3750/3395PCS

Model :	TL120208	TL120210	TL120212	TL120212S	TL12016S
Capacity :	8Ton	10Ton	12Ton	12Ton	16Ton
Min. Height :	200mm	200mm	210mm	170mm	180mm
Max. Height :	385mm	385mm	395mm	305mm	320mm
Lifting Height :	125mm	125mm	125mm	85mm	90mm
Adjustment Height :	60mm	60mm	60mm	50mm	50mm
N.W.:	5.5kg	6.0kg	7.2kg	6.3kg	7.7kg
20-ft Container:	3090PCS	2835PCS	2350PCS	2520PCS	295PCS

HYDRAULIC BOTTLE JACKS



Model :	TL120216	TL120220	TL120232	TL120250	TL120100	TL12020B
Capacity :	16Ton	20Ton	32Ton	50Ton	100Ton	20Ton
Min. Height :	225mm	235mm	255mm	260mm	350mm	242mm
Max. Height :	425mm	440mm	405mm	415mm	515mm	452mm
Lifting Height :	140mm	145mm	50mm	155mm		150mm
Adjustment Height :	60mm	60mm				60mm
N.W.:	8.5kg	11.0kg	14.5kg	23.0kg	76kg	13kg
20-ft Container:	2000PCS	1558PCS	1170PCS	738PCS	235PCS	1500PCS