

Shop Press

Model: HYC-12




Product description :

- Ideal for the removal or installation of gears, universal joints, pulleys and other various press jobs.
- Excellent for bending, bonding, or straightening applications.

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
HYC12	12T	0-700mm	A:1380x200x92mm B:595x215x200mm	50/47kg	230pcs
HYC20	20T	0-725mm	A:1530x255x155mm B:750x245x265mm	90/85kg	165pcs

			C:205x185x265mm		
HYJ30	30T	0-810mm	A:1670x185x215mm B:940x340x215mm C:800x400x225mm m	143/138kg	116pcs



Shop Press

Model: HYC-30




Product description :

- Ideal for the removal or installation of gears, universal joints, pulleys and other various press jobs.
- Excellent for bending, bonding, or straightening applications.
- HYC50Q: Pump can be operated by hand or with air. Operation becomes more convenient and labor saving.

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20' Container
SHYC20	20T	126mm	A:1780x255x155mm B:725x285x255mm C: 630x365x230mm	132/126kg	150pcs

HYC30	30T	180mm	A:1670x185x215mm B:800x340x215mm C:630x365x230mm	142/135kg	116pcs
HYC50	50T	0-780mm	1840x1110x540mm	320/285kg	24pcs
HYC50Q	50T	0-780MM	1840x1110x540mm	322/287kg	24pcs



Air-Hydraulic Shop Press


Model: HYC-35



Product description :

- Ideal for the removal or installation of gears, universal points, pulleys and other various press jobs.
- Excellent for bending, bonding, or straightening applications.
- Pump can be operated by hand or with air. Operation becomes more convenient and labor saving.

Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20' Container
HYC35	35T	0-700mm	1750x840x440mm	233/188kg	24pcs





Air-Hydraulic Shop Press

Model: HYE-15



Model	Capacity	Working Range (mm)	Package Size (mm)	G.W./N.W.(kg)	20'Container
HYE15	15T	0-126mm	1935x750x350mm	121/115kg	50pcs
HYE20	20T	0-180mm	1900x815x480mm	138/130kg	33pcs
HYE30	30T	0-780mm	1840x1110x540mm	210/200kg	22pcs